AUTHOR INDEX

Adams, M.S., *see* Smith, C.S. et al.
Aioi, K., *see* Kuo, J. et al.
Alexeev, Y.E. (Moscow, U.S.S.R.)
Ontogenesis in *Carex* species 39
Andrews, M., *see* McInroy, S.G. et al.
Azcón-Bieto, J., *see* Peñuelas, J. et al.
Bedford, B.L., Rappaport, N.R. and Bernard, J.M. (Ithaca, NY, U.S.A.)
A life history of *Carex lasiocarpa* Ehrh. ramets 63
Bernard, J.M. (Ithaca, NY, U.S.A.) and Soukupová, L. (Třebon, Czechoslovakia)
Studies in wetland carices of the temperate zone — an introduction 1
Bernard, J.M. (Ithaca, NY, U.S.A.), Solander, D. (Uppsala, Sweden) and Květ, J. (Třebön, Czechoslovakia)
Production and nutrient dynamics in *Carex* wetlands 125
Bernard, J.M., *see* Bedford, B.L. et al.
Bisaria, R., *see* Jain, S.K. et al.
Boudouresque, C.F., *see* Calmet, D. et al.
Brix, H. (Risskov, Denmark)
Light-dependent variations in the composition of the internal atmosphere of *Phragmites australis* (Cav.) Trin. ex Steudel 319
Calmet, D. (La Seyne-sur-Mer, France), Boudouresque, C.F. (Marseille, France) and Meinesz, A. (Nice, France)
Memorization of nuclear atmospheric tests by rhizomes and scales of the Mediterranean segrass *Posidonia oceanica* (Linnaeus) Delile 279
Den Hartog, C., *see* Short, F.T. et al.
Denny, P., *see* Orr, P.T. et al.
Djebrouni, M. (Alger, Algeria) and Huon, A. (Rennes, France)
Structure and biomass of a *Typha* stand revealed by multidimensional analysis 331
Doty, M.S. (Honolulu, Hawaii) Book Review of *Algal Biomass* edited by W. Barclay and R.P. McIntosh 273
Fry, B. and Virnstein, R.W. (Fort Pierce, Fl, U.S.A.)
Leaf production and export of the seagrass *Syringodium filiforme* Kutz. in Indian River Lagoon, Florida 261
Gambi, MC. (Naples, Italy)
Flowering in a *Zostera marina* bed off San Juan Island (Washington, U.S.A.) during winter 267
Gujral, G.S., *see* Jain, S.K. et al.
Gustafson, T.D., *see* Smith, C.S. et al.
Haramoto, T. and Ikusima, I. (Chiba, Japan)
Life cycle of *Egeria densa* Planch., an aquatic plant naturalized in Japan 389
Hultgren, A.B.C. (Uppsala, Sweden)
A demographic study of aerial shoots of *Carex rostrata* in relation to water level 81
Huon, A., *see* Djebrouni, M. and Huon, A.
Ibelings, B.W., *see* Short, F.T. et al.
Iizumi, H., *see* Kuo, J. et al.
Ikusima, I., *see* Haramoto, T., and Ikusima, I.
Jain, S.K., Gujral, G.S., Bisaria, R. and Vasudevan, P. (New Delhi, India)
Cultivation of *Pleurotus sajor-caju* on aquatic weeds 245

Jankovská, V. and Rybníček, K. (Brno, Czechoslovakia)
The genus *Carex* in the late glacial and Holocene of Czechoslovakia 23
Kendrick, G.A., *see* Walker, D.I. et al.
Klötzli, F. (Zurich, Switzerland)
Conservational status and use of sedge wetlands 157
Končalová, H. (Praha, Czechoslovakia), Pokorný, J. and Květ, J. (Třeboň, Czechoslovakia)
Root ventilation in *Carex gracilis* Curt.: diffusion or mass flow? 149
Kukkonen, I. and Toivonen, H. (Helsinki, Finland)
Taxonomy of wetland carices 5
Kuo, J., (Nedland, W.A., Australia), Aioi, K., (Tokyo, Japan) and Iizumi, H., (Iwate, Japan)
Comparative leaf structure and its functional significance in *Phyllospadix iwatensis* Makino and *Phyllospadix japonicus* Makino (Zosteraceae) 169
Květ, J, *see* Bernard, J.M. et al.
see Končalová, H. et al.
McComb, A.J., *see* Walker, D.I. et al.
McInroy, S.G., Andrews, M. and Sprent, J.I. (Dundee, Gt. Britain)
Growth, nodulation and nitrate reductase activity in the aquatic legume *Neptunia plena* (L.) Benth. at different external nitrate concentrations 379
McMillan, C. (Austin, TX, U.S.A.)
The seed reserve of *Halophila engelmannii* (Hydrocharitaceae) in Redfish Bay, Texas ... 253
Meinesz, A., *see* Calmet, D. et al.
Murillo, J., *see* Peñuelas, J. et al.
Nienhuis, P.H., *see* Pellikaan, G.C. and Nienhuis, P.H.
Orr, P.T., Same, P.J.M. (Griffith, N.S.W., Australia), Pokorný, J. (Třebon, Czechoslovakia) and Denny, P. (London, Gt. Britain)
Photosynthetic response of *Myriophyllum salsugineum* A.E. Orchard to photon irradiance, temperature and external free CO_2 363
Pellikaan, G.C., (Middleburg, The Netherlands) and Nienhuis, P.H. (Yerseke, The Netherlands)
Nutrient uptake and release during growth and decomposition of eelgrass, *Zostera marina* L., and its effects on the nutrient dynamics of Lake Grevelingen 189
Peñuelas, J., Murillo, J. and Azcon-Bieto, J. (Barcelona, Spain)
Actual and potential dark respiration rate and different electron transport pathways in freshwater aquatic plants 353
Pokorný, J., *see* Končalová, H. et al.
see Orr, P.T. et al
Pons, T.L., *see* Verhoeven, J.T.A.
Rappaport, NR., *see* Bedford, B.L. et al.
Ratliff, R.D. and Westfall, S.E. (Fresno, CA, U.S.A.)
Biomass trends in a Nebraska sedge meadow, Sierra National Forest, California 109
Raven, P.J., (London, Gt. Britian)
Occurrence of *Sphagnum* moss in the sublittoral of several small oligotrophic lakes in Galloway, southwest Scotland 223
Rybníček, K., *see* Jankovská, V. and Rybníček, K.
Sambrasiva Rao, A., (Calicut, India)
Evapotranspiration rates of *Eichhornia crassipes* (Mart.) Solms, *Salvinia molesta* D.S. Mitchell and *Nymphaea lotus* (L.) Willd. in a humid tropical climate 215
Same, P.J.M., *see* Orr, P.T. et al.
Sanville, W., (Duluth, MN, U.S.A.)
Response of an Alaskan wetland to nutrient enrichment 231

Schmitz, M.B., *see* Verhoeven, J.T.A.
Short, F.T. (Durham, NH, U.S.A.), Ibelings, B.W. and den Hartog, C. (Nijmegen, The Netherlands)
Comparison of a current eelgrass disease to the wasting disease in the 1930s 295
Smith, C.S., Adams, M.S. (Madison, WI, U.S.A.) and Gustafson, T.D. (Huntingdon, PA, U.S.A.)
The importance of belowground mineral element stores in cattails (*Typha latifolia* L.) ... 343
Solander, D., *see* Bernard, J.M. et al.
Soukupová, L (Trěboň, Czechoslovakia)
Short life-cycles in two wetland sedges 49
see Bernard, J.M. and Soukupová, L.
Sprent, J.I., *see* McInroy, S.G. et al.
Toivonen, H., *see* Kukkonnen, I. and Toivonen, H.
Vasudevan, P., *see* Jain S.K. et al.
Verhoeven, J.T.A., Schmitz, M.B. and Pons, T.L. (Utrecht, The Netherlands)
Comparative demographic study of *Carex rostrata* Stokes, *C. diandra* Schrank and *C. acutiformis* Ehrh. in fens of different nutrient status 95
Virnstein, R.W., *see* Fry, B. and Virnstein, R.W.
Walker, D.I., Kendrick, G.A. and McComb, A.J. (Nedlands, W.A., Australia)
The distribution of seagrass species in Shark Bay, Western Australia, with notes on their ecology 305
Westfall, S.E., see Ratliff, R.D. *and* Westfall, S.E.

CONTENTS OF *AQUATIC BOTANY*, VOLUME 30

VOL. 30 NOS. 1–2 FEBRUARY 1988

Studies in wetland carices of the temperate zone — an introduction
J.M. Bernard (Ithaca, NY, U.S.A.) and L. Soukupová (Trěbon, Czechoslovakia) 1
Taxonomy of wetland carices
I. Kukkonen and H. Toivonen (Helsinki, Finland) 5
The genus *Carex* in the Late Glacial and Holocene of Czechoslovakia
V. Jankovská and K. Rybníček (Brno, Czechoslovakia) 23
Ontogenesis in *Carex* species
Y.E. Alexeev (Moscow, U.S.S.R.) 39
Short life-cycles in two wetland sedges
L. Soukupová (Trěbon, Czechoslovakia) 49
A life history of *Carex lasiocarpa* Ehrh. ramets
B.L. Bedford, N.R. Rappaport and J.M. Bernard (Ithaca, NY, U.S.A.) 63
A demographic study of aerial shoots of *Carex rostrata* in relation to water level
A.B.C. Hultgren (Uppsala, Sweden) 81
Comparative demographic study of *Carex rostrata* Stokes, *C. diandra* Schrank and *C. acutiformis* Ehrh. in fens of different nutrient status
J.T.A. Verhoeven, M.B. Schmitz and T.L. Pons (Utrecht, The Netherlands) 95
Biomass trends in a Nebraska sedge meadow, Sierra National Forest, California
R.D. Ratliff and S.E. Westfall (Fresno, CA, U.S.A.) 109
Production and nutrient dynamics in *Carex* wetlands
J.M. Bernard (Ithaca, NY, U.S.A.), D. Solander (Uppsala, Sweden) and J. Květ (Trěbon, Czechoslovakia) 125
Root ventilation in *Carex gracilis* Curt.: diffusion or mass flow?
H. Končalová (Praha, Czechoslovakia), J. Pokorný and J. Květ (Trěbon, Czechoslovakia) 149
Conservational status and use of sedge wetlands
F. Klötzli (Zürich, Switzerland) 157

VOL. 30 NO. 3 MARCH 1988

Comparative leaf structure and its functional significance in *Phyllospadix iwatensis* Makino and *Phyllospadix japonicus* Makino (Zosteraceae)
J. Kuo (Nedlands, W.A., Australia), K. Aioi (Tokyo, Japan) and H. Iizumi (Iwate, Japan) 169
Nutrient uptake and release during growth and decomposition of eelgrass, *Zostera marina* L., and its effects on the nutrient dynamics of Lake Grevelingen
G.C. Pellikaan (Middleburg, The Netherlands) and P.H. Nienhuis (Yerseke, The Netherlands) 189
Evapotranspiration rates of *Eichhornia crassipes* (Mart.) Solms, *Salvinia molesta* D.S. Mitchell and *Nymphaea lotus* (L.) Willd. in a humid tropical climate
A. Sambasiva Rao (Calicut, India) 215
Occurence of *Sphagnum* moss in the sublittoral of several small oligotrophic lakes in Galloway, southwest Scotland
P.J. Raven (London, Gt. Britain) 223
Response of an Alaskan wetland to nutrient enrichment
W. Sanville (Duluth, MN, U.S.A.) 231

Technical Communication
Cultivation of *Pleurotus sajor-caju* on aquatic weeds
S.K. Jain, G.S. Gujral, R. Bisaria and P. Vasudevan (New Delhi, India) 245

Short Communications
The seed reserve of *Halophila engelmannii* (Hydrocharitaceae) in Redfish Bay, Texas
C. McMillan (Austin, TX, U.S.A.) 253
Leaf production and export of the seagrass *Syringodium filiforme* Kütz. in Indian River Lagoon, Florida
B. Fry and R.W. Virnstein (Fort Pierce, FL, U.S.A.) 261
Flowering in a *Zostera marina* bed off San Juan Island (Washington, U.S.A.) during winter
M.C. Gambi (Naples, Italy) 267

Book Review
Algal Biomass 273

Announcement 277

VOL. 30 NO. 4 MAY 1988

Memorization of nuclear atmospheric tests by rhizomes and scales of the Mediterranean seagrass *Posidonia oceanica* (Linnaeus) Delile
D. Calmet (La Seyne-sur-Mer, France), C.F. Boudouresque (Marseille, France) and A. Meinesz (Nice, France) 279
Comparison of a current eelgrass disease to the wasting disease in the 1930s
F.T. Short (Durham, NH, U.S.A.), B.W. Ibelings and C. den Hartog (Nijmegen, The Netherlands) 295
The distribution of seagrass species in Shark Bay, Western Australia, with notes on their ecology
D.I. Walker, G.A. Kendrick and A.J. McComb (Nedlands, W.A., Australia) 305
Light-dependent variations in the composition of the internal atmosphere of *Phragmites australis* (Cav.) Trin. ex Steudel
H. Brix (Risskov, Denmark) 319
Structure and biomass of a *Typha* stand revealed by multidimensional analysis
M. Djebrouni (Alger, Algeria) and A. Huon (Rennes, France) 331
The importance of belowground mineral element stores in cattails (*Typha latifolia* L.)
C.S. Smith, M.S. Adams (Madison, WI, U.S.A.) and T.D. Gustafson (Huntingdon, PA, U.S.A.) 343
Actual and potential dark respiration rates and different electron transport pathways in freshwater aquatic plants
J. Peñuelas, J. Murillo and J. Azcón-Bieto (Barcelona, Spain) 353
Phytosynthetic response of *Myriophyllum salsugineum* A.E. Orchard to photon irradiance, temperature and external free CO_2
P.T. Orr, P.J.M. Same (Griffith, N.S.W., Australia), J. Pokorný (Trěbon, Czechoslovakia) and P. Denny (London, Gt. Britain) 363
Growth, nodulation and nitrate reductase activity in the aquatic legume *Neptunia plena* (L.) Benth. at different external nitrate concentrations
S.G. McInroy, M. Andrews and J.I. Sprent (Dundee, Gt. Britain) 379
Life cycle of *Egeria densa* Planch., an aquatic plant naturalized in Japan
T. Haramoto, I. Ikusima (Chiba, Japan) 389

Announcement 405

Author Index 407